

# KONTIKI CHARMETAL



Civilization of Beauty



K●NTIKI



DESIGN AND PRODUCTION  
OF ITALY



CHARMETAL



4

KIRIBATI p.6

NAURU p.10

PALAU p.14

TUVALU p.18

Lifestyle, la nuova dimensione della seduzione per giocare con i sensi attraverso le superfici. Lifestyle: magica attrazione made in Italy.



L I F E S T Y L E

K O N T I K I



Civilization of Beauty

5

Lifestyle, a new dimension in seduction to play with your senses through surfaces. Lifestyle: magical attraction, made in Italy.  
Lifestyle, la nouvelle dimension de la séduction pour jouer avec les sens à travers les surfaces. Lifestyle: attraction magique made in Italy.  
Lifestyle, die neue Dimension der Verführung, um durch die Oberflächen mit den Sinnen zu spielen. Lifestyle: eine magische Attraktion made in Italy.  
Lifestyle - это новое измерение соблазна, такая плитка позволяет вам играть чувствами при помощи поверхностей. Lifestyle: волшебное притяжение из Италии.



L I F E S T Y L E



# KIRIBATI

Cubics Tuvalu 22,5x90 Nat. Rett. / Kiribati 22,5x90 - 15x90 - 11,25x90 Nat. Rett



Cassiopea A 45x90 Nat. Rett.

8



KIRIBATI





Kiribati 22,5x90 - 15x90 - 11,25x90 Nat. Rett

L I F E S T Y L E



# NAURU

Cubics Tuvalu 22,5x90 Nat. Rett. / Nauru 22,5x90 - 15x90 - 11,25x90 Nat. Rett





L I F E S T Y L E



L I F E S T Y L E

Cubics Tuvalu 22,5x90 Nat. Rett. / Nauru 22,5x90 - 15x90 - 11,25x90 Nat. Rett

NAURU






14

PALAU

Palau 45x90 - 11,25x90 Nat. Rett. / Mosaico Pearly Palau (2,2x2,2 su rete) 22,5x45 - Nat. Rett.










17





L I F E S T Y L E

Tuvalu 45x90 - 22,5x90 - 15x90 - 11,25x90 Nat. Rett.



T U V A L U



TUVALU




20



L I F E S T Y L E

Bloomy Tuvalu 45x90 Nat. Rett. Set 3 pcs.



21


# KONTIKI

Superficie Naturale  
Natural Surface

R10

SCIVOLOSITÀ  
SLIPPERY GRADE

SHADE SPECTRUM



Gres Porcellanato a Tutta Massa. Full Body Porcelain Tiles. Grès Cérame Pleine Masse. Feinsteinzeug Volle Masse - 10,5mm. Spessore. Thickness. Épaisseur. Stärke

## KIRIBATI



**B247 4720** Kiribati - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲



**B250 2720** Kiribati - 22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲



**B255 1820** Kiribati - 15x90 . 5 15/16"x35 7/16" - Nat. Rett. ▲



**B257 1720** Kiribati - 11,25x90 . 4 7/16"x35 7/16" - Nat. Rett. ▲

## NAURU



**B247 4721** Nauru - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲



**B250 2721** Nauru - 22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲



**B255 1821** Nauru - 15x90 . 5 15/16"x35 7/16" - Nat. Rett. ▲




**B257 1721** Nauru - 11,25x90 . 4 7/16"x35 7/16" - Nat. Rett. ▲

22


## PEZZI SPECIALI

TRIMS. PIÈCES SPÉCIALES. SONDERTEILE. Дополнительные элементы.



8 PCS

- V215 B520** Battiscopa Kiribati 8,5x90 . 3 3/8"x35 7/16" - Nat. Rett. ▲
- B521** Battiscopa Nauru 8,5x90 . 3 3/8"x35 7/16" - Nat. Rett. ▲
- B522** Battiscopa Palau 8,5x90 . 3 3/8"x35 7/16" - Nat. Rett. ▲
- B523** Battiscopa Tuvalu 8,5x90 . 3 3/8"x35 7/16" - Nat. Rett. ▲



3 PCS

- V360 K820** Step Kiribati 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲
- K821** Step Nauru 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲
- K822** Step Palau 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲
- K823** Step Tuvalu 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲

▲ NATURALE E RETTIFICATO. NATURAL AND RECTIFIED. NATUREL ET RECTIFIÉ. NATUR OBERFLÄCHE UND KALIBRIERT. НАТУРАЛЬНЫЙ И РЕКТИФИЦИРОВАННЫЙ.

PALLET 100x120 cm							
FORMATO cm. Size	PZ. x SCAT. Pieces x Box	MQ. x SCAT. Sqm x Box	KG x SCAT. Weight x Box	SCAT. x PAL. Boxes x Pal.	MQ. x PAL. Sqm x Pal.	KG. x PAL. Sqm x Pal.	Cm. h PAL.
45x90	3	1,22	27	36	43,92	992	65
22,5x90	6	1,22	26	36	43,92	956	65
15x90	9	1,22	26	36	43,92	956	65
11,25x90	12	1,22	26	36	43,92	956	65

  
**L I F E S T Y L E**

## P A L A U

## T U V A L U



**B247 4722** Palau - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲

**B247 4723** Tuvalu - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲



**B250 2722** Palau - 22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲

**B250 2723** Tuvalu - 22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲



**B255 1822** Palau - 15x90 . 5 15/16"x35 7/16" - Nat. Rett. ▲

**B255 1823** Tuvalu - 15x90 . 5 15/16"x35 7/16" - Nat. Rett. ▲



**B257 1722** Palau - 11,25x90 . 4 7/16"x35 7/16" - Nat. Rett. ▲

**B257 1723** Tuvalu - 11,25x90 . 4 7/16"x35 7/16" - Nat. Rett. ▲



Civilization of Beauty

# KONTIKI

Gres Porcellanato a Tutta Massa. Full Body Porcelain Tiles. Grès Cérame Pleine Masse. Feinsteinzeug Volle Masse - 10,5mm. Spessore. Thickness. Épaisseur. Stärke

## MOSAICI . MOSAIC. MOSAÏQUE. MOSAIK. Мозаика. KIRIBATI



**B300** 9225 Mosaico Kiribati (5,4x5,4 su rete) - 22,5x45 . 8 7/8"x17 3/4" - Nat. Rett. ▲



**V365** L513 Sticks Kiribati -22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲ 



**V390** L629 Mosaico Pearly Kiribati (2,2x2,2 su rete) - 22,5x45 . 8 7/8"x17 3/4" - Nat. Rett. ▲ 

## N A U R U



**B300** 9226 Mosaico Nauru (5,4x5,4 su rete) - 22,5x45 . 8 7/8"x17 3/4" - Nat. Rett. ▲



**V365** L514 Sticks Nauru -22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲ 



**V390** L630 Mosaico Pearly Nauru (2,2x2,2 su rete) - 22,5x45 . 8 7/8"x17 3/4" - Nat. Rett. ▲ 

## DECORI . DECORATIONS. DÉCORS. DEKORE. Декоры.

24




**V370** L527 Cubics Kiribati -22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲ 




**V370** L528 Cubics Nauru -22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲ 



**V385** L544 Cassettone Kiribati - 45x45 . 17 3/4"x17 3/4" - Nat. Rett. ▲ 



**V385** L545 Cassettone Nauru - 45x45 . 17 3/4"x17 3/4" - Nat. Rett. ▲ 



PALLET 100x120 cm							
FORMATO cm. Size	PZ. x SCAT. Pieces x Box	MQ. x SCAT. Sqm x Box	KG x SCAT. Weight x Box	SCAT. x PAL. Boxes x Pal.	MQ. x PAL. Sqm x Pal.	KG. x PAL. Sqm x Pal.	Cm. h PAL.
45x90	3	1,22	27	36	43,92	992	65
22,5x90	6	1,22	26	36	43,92	956	65
15x90	9	1,22	26	36	43,92	956	65
11,25x90	12	1,22	26	36	43,92	956	65



L I F E S T Y L E


## P A L A U

## T U V A L U





**B300** 9227 Mosaico Palau (5,4x5,4 su rete) - 22,5x45 . 8 7/8"x17 3/4" - Nat. Rett. ▲

**B300** 9228 Mosaico Tuvalu (5,4x5,4 su rete) - 22,5x45 . 8 7/8"x17 3/4" - Nat. Rett. ▲



**V365** L515 Sticks Palau - 22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲ 

**V365** L516 Sticks Tuvalu - 22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲ 



**V390** L631 Mosaico Pearly Palau (2,2x2,2 su rete) - 22,5x45 . 8 7/8"x17 3/4" - Nat. Rett. ▲ 


**V390** L632 Mosaico Pearly Tuvalu (2,2x2,2 su rete) - 22,5x45 . 8 7/8"x17 3/4" - Nat. Rett. ▲ 




**V370** L529 Cubics Palau - 22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲ 

**V370** L530 Cubics Tuvalu - 22,5x90 . 8 7/8"x35 7/16" - Nat. Rett. ▲ 



**V385** L546 Cassettone Palau - 45x45 . 17 3/4"x17 3/4" - Nat. Rett. ▲ 

**V385** L547 Cassettone Tuvalu - 45x45 . 17 3/4"x17 3/4" - Nat. Rett. ▲ 

# KONTIKI

Gres Porcellanato a Tutta Massa. Full Body Porcelain Tiles. Grès Cérame Pleine Masse. Feinsteinzeug Volle Masse - 10,5mm. Spessore. Thickness. Épaisseur. Stärke  
**DECORI**. DECORATIONS. DÉCORS. DEKORE. Декоры.

## COLLECTIONS 45x90



**R190** L520 Collections Kiribati - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲ Set 3 pcs.

**R190** L521 Collections Nauru - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲ Set 3 pcs.



**R190** L522 Collections Palau - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲ Set 3 pcs.

**R190** L523 Collections Tuvalu - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲ Set 3 pcs.

## GERBERA 45x90



**V385** L537 Gerbera Kiribati  
45x90 . 17 3/4"x35 7/16"  
Nat. Rett. ▲

**V385** L538 Gerbera Nauru  
45x90 . 17 3/4"x35 7/16"  
Nat. Rett. ▲


**V385** L539 Gerbera Palau  
45x90 . 17 3/4"x35 7/16"  
Nat. Rett. ▲

**V385** L540 Gerbera Tuvalu  
45x90 . 17 3/4"x35 7/16"  
Nat. Rett. ▲


PALLET 100x120 cm							
FORMATO cm. Size	PZ. x SCAT. Pieces x Box	MQ. x SCAT. Sqm x Box	KG x SCAT. Weight x Box	SCAT. x PAL. Boxes x Pal.	MQ. x PAL. Sqm x Pal.	KG. x PAL. Sqm x Pal.	Cm. h PAL.
45x90	3	1,22	27	36	43,92	992	65
22,5x90	6	1,22	26	36	43,92	956	65
15x90	9	1,22	26	36	43,92	956	65
11,25x90	12	1,22	26	36	43,92	956	65

## BLOOMY 45x90




**R1225 L616** Bloomy Kiribati - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲ Set 3 pcs. 




**R1225 L617** Bloomy Nauru - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲ Set 3 pcs. 



**R1225 L618** Bloomy Palau - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲ Set 3 pcs. 



**R1225 L619** Bloomy Tuvalu - 45x90 . 17 3/4"x35 7/16" - Nat. Rett. ▲ Set 3 pcs. 

## CASSIOPEA 45x90



**V428 L548** Cassiopea A  
45x90 . 17 3/4"x35 7/16"  
Nat. Rett. ▲ 



**V428 L549** Cassiopea B  
45x90 . 17 3/4"x35 7/16"  
Nat. Rett. ▲ 



**V428 L550** Cassiopea C  
45x90 . 17 3/4"x35 7/16"  
Nat. Rett. ▲ 



**V428 L551** Cassiopea D  
45x90 . 17 3/4"x35 7/16"  
Nat. Rett. ▲ 













**V428 L552** Cassiopea E  
45x90 . 17 3/4"x35 7/16"  
Nat. Rett. ▲ 

**CARATTERISTICHE TECNICHE . Technical Features . Caracteristiques Techniques . Technische Eigenschaften . Технические характеристики**

**10,5 mm. Spessore. Thickness. Épaisseur. Dicke. Толщина 10,5 мм.**

**GRES PORCELLANATO A TUTTA MASSA. FULL BODY PORCELAIN TILES. GRÈS CÉRAME PLEINE MASSE. FEINSTEINZEUG VOLLE MASSE. ГОМОГЕННЫЙ КЕРАМОГРАНИТ.**

CARATTERISTICA SPECIFICATION CARACTERISTIQUE EIGENSCHAFT ХАРАКТЕРИСТИКА	METODO DI PROVA TEST METHODS METHODE D'ESSAI TESTVERFAHREN СТАНДАРТ ИСПЫТАНИЙ	REQUISITI PREVISTI DALLA NORMA REQUIREMENTS IN ACCORDANCE TO THE STANDARDS CARACTERISTIQUES REQUISES VORGESEHENE EIGENSCHAFTEN GEMÄS NORMEN ТРЕБОВАНИЯ ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ	KONTIKI LIFESTYLE	CHARMETAL LIFESTYLE			
	ISO 10545-2		RETTIFICATO	RETTIFICATO			
LUNGHEZZA E LARGHEZZA LENGTH AND WIDTH - LONGUEUR ET LARGEUR - LÄNGE UND BREITE - ДЛИНА/ШИРИНА					$S \geq 410$	$\pm 0.1 \%$	$\pm 0.1 \%$
SPESORE THICKNESS - ÉPAISSEUR - STÄRKE - ТОЛЩИНА					$\pm 5 \%$	$\pm 4 \%$	$\pm 4 \%$
RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF EDGES - RECTITUDE DES BORDS - RECHTECKIGKEIT DER ECKEN - ПРЯМОЛИНЕЙНОСТЬ ГРАНИ					$\pm 0.5 \%$	$\pm 0.1 \%$	$\pm 0.1 \%$
ORTOGONALITÀ ORTHOGONALITY - ORTHOGONALITE - RECHTWINKLIGKEIT - ПРЯМОУГОЛЬНОСТЬ					$\pm 0.6 \%$	$\pm 0.1 \%$	$\pm 0.1 \%$
PLANARITÀ PLANARITY - PLANARITE - EBENHEIT - ЛИНЕЙНОСТЬ					$\pm 0.5 \%$	$\pm 0.3 \%$	$\pm 0.3 \%$
	ISO 10545-3	$\leq 0.5 \%$	$\leq 0.02 \%$	$\leq 0.02 \%$			
ASSORBIMENTO D'ACQUA WATER ABSORPTION ABSORPTION D'EAU WASSERAUFNAHME ВОДОПОГЛАЩЕНИЕ	ISO 10545-4	35 N/mm <sup>2</sup> = 356 Kg/cm <sup>2</sup>	48 N/mm <sup>2</sup> = 489 kg/cm <sup>2</sup>	48 N/mm <sup>2</sup> = 489 kg/cm <sup>2</sup>			
RESISTENZA ALLA FLESSIONE BREAKING MODULUS RESISTANCE A LA FLEXION BIEGEFESTIGKEIT ПРОЧНОСТЬ НА ИЗГИБ							
		SPESSORE - THICKNESS - ÉPAISSEUR - STÄRKE - ТОЛЩИНА $\geq 7.5$ mm: min. 1300 N					
SFORZO DI ROTTURA MODULUS OF RUPTURE CHARGE DE RUPTURE BRUCHLAST СТОЙКОСТЬ НА ИЗЛОМ							
	ISO 10545-6	$\leq 175$ m <sup>3</sup>	117 m <sup>3</sup>	117 m <sup>3</sup>			
RESISTENZA ALL'ABRAZIONE PROFONDA DEEP ABRASION RESISTANCE RESISTANCE A L'ABRASION PROFONDE BESTÄNDIGKEIT BEBEN TIEFENVERSCHLEIB УСТОЙЧИВОСТЬ К ГЛУБОКОМУ СТИРАНИЮ							
	ISO 10545-8	METODO DISPONIBILE AVAILABLE ON REQUEST METHODE DISPONIBLE VERFÜGBARES VERFAHREN ОПРЕДЕЛЯЕТСЯ ПРОИЗВОДИТЕЛЕМ	$\leq 7 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$	$\leq 7 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$			
COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFFICIENT COEFFICIENT DE DILATION THERMIQUE LINEAIRE WÄRMEDAUSEHNUNGSKOEFFIZIENT КОЭФФИЦИЕНТ ТЕПЛОВОГО ЛИНЕЙНОГО РАСШИРЕНИЯ							
	ISO 10545-9	METODO DISPONIBILE AVAILABLE ON REQUEST METHODE DISPONIBLE VERFÜGBARES VERFAHREN ОПРЕДЕЛЯЕТСЯ ПРОИЗВОДИТЕЛЕМ	RESISTENTI RESISTANT RESISTANTS WIDERSTANDSFÄHIG УСТОЙЧИВЫ	RESISTENTI RESISTANT RESISTANTS WIDERSTANDSFÄHIG УСТОЙЧИВЫ			
RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE RESISTANCE AUX ÉCARTS DE TEMPERATURE TEMPERATURWECHSELBESTÄNDIGKEIT УСТОЙЧИВОСТЬ К ТЕМПЕРАТУРНЫМ ПЕРЕПАДАМ							
	ISO 10545-12	RICHIESTA ALWAYS TESTED EXIGÉE NOTWENDIG ТРЕБОВАНИЯ	NON GELIVI FROST PROOF NON GELIFS FROSTSICHER НЕ ЗАМОРАЖИВАЮТСЯ	NON GELIVI FROST PROOF NON GELIFS FROSTSICHER НЕ ЗАМОРАЖИВАЮТСЯ			
RESISTENZA AL GELO FROST RESISTANCE RESISTANCE AU GEL FROSTBESTÄNDIGKEIT МОРОЗОСТОЙКОСТЬ							
	ISO 10545-13	min. UB	min. UB	min. UB			
RESISTENZA AI PRODOTTI CHIMICI CHEMICAL RESISTANCE RESISTANCE AUX PRODUITS CHIMIQUES CHEMISCHE BESTÄNDIGKEIT ХИМИЧЕСКАЯ УСТОЙЧИВОСТЬ							
PRODOTTI CHIMICI AD USO DOMESTICO ED ADDITIVI PER PISCINA HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS PRODUITS CHIMIQUES COURANTS ET ADDITIFS POUR PISCINE CHEM. PRODUKTE FÜR DEN HAUSHALTSBEWAUCH UND ZUSATZ FÜR SCHWIMMBÄDER БЫТОВЫЕ ХИМИЧЕСКИЕ СРЕДСТВА И СРЕДСТВА ДЛЯ БАССЕЙНОВ							
ACIDI ED ALCALI A BASSA CONCENTRAZIONE ACIDS AND LOW CONCENTRATION ALKALIS ACIDES ET ALCALI A FAIBLE CONCENTRATION SAUREN UND ALKALI IN GERINGER KONZENTRATION НИЗКОКОНЦЕНТРИРОВАННЫЕ КИСЛОТЫ И ЩЕЛОЧИ							
ACIDI ED ALCALI AD ALTA CONCENTRAZIONE ACIDS AND HIGH CONCENTRATION ALKALIS ACIDES ET ALCALI A FORTE CONCENTRATION SAUREN UND ALKALI IN HOHER KONZENTRATION ВЫСОКОКОНЦЕНТРИРОВАННЫЕ КИСЛОТЫ И ЩЕЛОЧИ							
	ISO 10545-14	METODO DISPONIBILE AVAILABLE ON REQUEST METHODE DISPONIBLE VERFÜGBARES VERFAHREN ОПРЕДЕЛЯЕТСЯ ПРОИЗВОДИТЕЛЕМ	min. 4	min. 4			
RESISTENZA ALLE MACCHIE STAIN RESISTANCE RESISTANCE AUX TACHES FLECKBESTÄNDIGKEIT УСТОЙЧИВОСТЬ К ЗАГРЯЗНЕНИЮ							
	DIN 51094	NON DEVONO PRESENTARE APPREZZABILI VARIAZIONI DI COLORE THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION PAS DE MODIFICATIONS SENSIBLES DE COULEUR WEISEN KEINE SICHTBAREN FARBARWEICUNGEN AUF НЕ ДОЛЖНЫ ИМЕТЬ ЗАМЕТНЫХ РАЗЛИЧИЙ В ЦВЕТЕ	CONFORME COMPLIANT CONFORME ERFÜLLT СООТВЕТСТВУЕТ	CONFORME COMPLIANT CONFORME ERFÜLLT СООТВЕТСТВУЕТ			
STABILITÀ DEI COLORI ALLA LUCE COLOUR STABILITY TO LIGHT STABILITÉ DES COULEURS A LA LUMIERE LICHTSTÄNDIGHEIT DER FARBEN УСТОЙЧИВОСТЬ ЦВЕТА							

**IMBALLI . Package . Emballage . Verpackung . Упаковка**

KONTIKI				PALLET 100x120 cm			
FORMATO cm. Size	PZ. x SCAT. Pieces x Box	MQ. x SCAT. Sq.m x Box	KG x SCAT. Weight x Box	SCAT. x PAL. Boxes x Pal.	MQ. x PAL. Sq.m x Pal.	KG. x PAL. Sq.m x Pal.	Cm. h PAL.
Battiscopa 8.5x90	8	-	16	78	-	1268	72
Step 45x90	3	1,22	26	-	-	-	-
Mosaico Sticks 22.5x90	5	1	18,8	40	40	772	72
Collections 45x90	3	1,22	27	-	-	-	-
Cubics 22.5x90	3	0,61	13	-	-	-	-
Gerbera 45x90	1	-	9	-	-	-	-
Cassette 45x45	1	-	4,5	-	-	-	-
Cassiopea 45x90	1	-	9	-	-	-	-
Bloomy 45x90	3	-	30	-	-	-	-
Pearly 22.5x45 (testare 2.2x2.2)	8	0,81	16,7	42	34,02	721,4	70
Mosaico su rete 22.5x45 (testare 5.4x5.4)	8	0,81	17	42	34,02	734	70

CHARMETAL				PALLET 100x120 cm			
FORMATO cm. Size	PZ. x SCAT. Pieces x Box	MQ. x SCAT. Sq.m x Box	KG x SCAT. Weight x Box	SCAT. x PAL. Boxes x Pal.	MQ. x PAL. Sq.m x Pal.	KG. x PAL. Sq.m x Pal.	Cm. h PAL.
Battiscopa 8.5x90	8	-	16	78	-	1268	72
Step 45x90	3	1,22	26	-	-	-	-
Gradone Toro 45x45	2	-	10	-	-	-	-
Angolare Gradone Toro 45x45	2	-	11	-	-	-	-
Mosaico Sticks 22.5x90	5	1	18,8	40	40	772	72
Collections 45x90	3	1,22	27	-	-	-	-
Cubics 22.5x90	3	0,61	13	-	-	-	-
Gerbera 45x90	1	-	9	-	-	-	-
Cassiopea 45x90	1	-	9	-	-	-	-
Bloomy 45x90	3	-	30	-	-	-	-
Pearly 22.5x45 (testare 2.2x2.2)	8	0,81	16,7	42	34,02	721,4	70
Mosaico su rete 22.5x45 (testare 5.4x5.4)	8	0,81	17	42	34,02	734	70



Civilization of Beauty

La Fabbrica S.p.A  
Via Emilia Ponente, 925  
48014 Castel Bolognese (RA) Italy  
Tel. +39 0546 - 659911  
Fax +39 0546 - 656223  
[www.lafabbrica.it](http://www.lafabbrica.it)  
[info@lafabbrica.it](mailto:info@lafabbrica.it)