

stardust



Civilization of Beauty

clair

beige

fonce'

noir



stardust

illumina il giorno

Light up the day . Illumine le jour . Erhellit den Tag . Наполняет светом ваш день

DESIGN AND PRODUCTION  
OF ITALY



stardust stardust stardust

Fonce' 60x60 nat rett.



rduslarduslarduslarduslarduslardus

Fonce' muretto 15x60.



Fonce' 60x60 nat. muretto 15x60.







Noir 60x60 nat rett.



Noir 60x60 nat rett.





Noir 60x60 nat rett.

Beige 60x60 nat rett.





Beige 60x60 nat rett.



Beige 60x60 nat rett.



Clair 60x60 nat rett. mosaico 30x30.





Clair mosaico 30x30.



Clair 60x60 nat rett. mosaico 30x30.




EUROPALLET 80x120							
FORMATO cm. Size	PZ. x SCAT. Pieces x Box	MQ. x SCAT. Sqm x Box	KG x SCAT. Weight x Box	SCAT. x PAL. Boxes x Pal.	MQ. x PAL. Sqm x Pal.	KG. x PAL. Sqm x Pal.	Cm. h PAL.
60,5x60,5	3	1,1	27,5	32	35,2	900	76
60x60	3	1,08	27	32	34,56	884	75
30x30 bur	11	1	23,5	60	60	1430	105
15x15 bur	44	1	25	55	55	1395	90
Mos. su rete tessere 5x5	6	0,54	13	54	29,16	722	87

EUROPALLET 80x120							
FORMATO cm. Size	PZ. x SCAT. Pieces x Box	MQ. x SCAT. Sqm x Box	KG x SCAT. Weight x Box	SCAT. x PAL. Boxes x Pal.	MQ. x PAL. Sqm x Pal.	KG. x PAL. Sqm x Pal.	Cm. h PAL.
Muretto 15x60	3	0,27	6,5	98	26,46	657	71
Battiscopa nat	12	-	18	56	-	1028	85
Battiscopa rett.	12	-	17	56	-	972	85
Torello Gradino 4x60	4	-	3	-	-	-	-
Tor. ang. Gradino 4x60	2	-	3	-	-	-	-




Civilization of Beauty

beige



**B31 6977** Beige - 60,5x60,5 . 23 13/16"x23 13/16" - Nat. ■


**B140 6877** Beige - 60x60 . 23 5/8"x23 5/8" - Nat. Ret. ▲



**B250 9207** Beige - 30x30 .  
12"x12" - Burattato ★



**B201 Q207** Beige - 15x15 .  
6"x6" - Burattato ★



**B270 9255** Beige Mosaico tessere 5x5 - 30x30 . 12"x12" .




**B270 L587** Beige Muretto - 15x60 . 6"x23 5/8" .

Decor. Decorations.  
Décors. Dekore.  
Декоры.




Beige 60x60 nat rett.


Pezzi speciali. Trims.  
Pièces spéciales. Sonderteile.  
Дополнительные элементы.





**V130 B977** Battiscopa Beige  
9,5x60,5 . 3 3/4"x23 13/16" - Nat. ■ 

**V134 B877** Battiscopa Beige  
9,5x60 . 3 3/4"x23 5/8" - Nat. Ret. ▲ 



**V357 K877** Torello per gradino Beige   
4x60 . 1 9/16"x23 5/8"



**V400 J877** Torello per angolare gradino Beige   
4x60 . 1 9/16"x23 5/8"





EUROPALLET 80x120							
FORMATO cm. Size	PZ. x SCAT. Pieces x Box	MQ. x SCAT. Sqm x Box	KG x SCAT. Weight x Box	SCAT. x PAL. Boxes x Pal.	MQ. x PAL. Sum x Pal.	KG. x PAL. Sum x Pal.	Cm. h PAL.
60,5x60,5	3	1,1	27,5	32	35,2	900	76
60x60	3	1,08	27	32	34,56	884	75
30x30 bur	11	1	23,5	60	60	1430	105
15x15 bur	44	1	25	55	55	1395	90
Mos. su rete tessere 5x5	6	0,54	13	54	29,16	722	87

EUROPALLET 80x120							
FORMATO cm. Size	PZ. x SCAT. Pieces x Box	MQ. x SCAT. Sqm x Box	KG x SCAT. Weight x Box	SCAT. x PAL. Boxes x Pal.	MQ. x PAL. Sum x Pal.	KG. x PAL. Sum x Pal.	Cm. h PAL.
Muretto 15x60	3	0,27	6,5	98	26,46	657	71
Battiscopa nat	12	-	18	56	-	1028	85
Battiscopa rett.	12	-	17	56	-	972	85
Torello Gradino 4x60	4	-	3	-	-	-	-
Tor. ang. Gradino 4x60	2	-	3	-	-	-	-



Civilization of Beauty

## noir



**B80** 6979 Noir - 60,5x60,5 - 23 13/16"x23 13/16" - Nat. ■

**B140** 6879 Noir - 60x60 - 23 5/8"x23 5/8" - Nat. Ret. ▲



**B230** 9209 Noir - 30x30 - 12"x12" - Burattato ★



**B200** Q209 Noir - 15x15 - 6"x6" - Burattato ★

Decor. Decorations.  
Décors. Dekore.  
Декоры.



**B270** 9257 Noir Mosaico tessere 5x5 - 30x30 - 12"x12".




**B270** L589 Noir Muretto - 15x60 - 6"x23 5/8".




Noir 60x60 nat. rett.

Pezzi speciali. Trims.  
Pièces spéciales. Sonderteile.  
Дополнительные элементы.




**V130** B979 Battiscopa Noir  
9,5x60,5 - 3 3/4"x23 13/16" - Nat. ■

**V134** B879 Battiscopa Noir  
9,5x60 - 3 3/4"x23 5/8" - Nat. Ret. ▲




**V367** K879 Torello per gradino Noir  
4x60 - 1 9/16"x23 5/8"



**V400** J879 Torello per angolare gradino Noir  
4x60 - 1 9/16"x23 5/8"

**CARATTERISTICHE TECNICHE . Technical Features . Caractéristiques Techniques . Technische Eigenschaften . Технические характеристики**

**11 mm. Spessore. Thickness. Épaisseur. Stärke. Толщина. GRES PORCELLANATO A TUTTA MASSA. FULL BODY PORCELAIN TILES. GRÉS CÉRAME PLEINE MASSE. FEINSTEINZEUG VOLLE MASSE. ГОМОГЕННЫЙ КЕРАМОГРАНИТ.**

CARATTERISTICA SPECIFICATION CARACTÉRISTIQUE EIGENSCHAFT ХАРАКТЕРИСТИКА	METODO DI PROVA TEST METHODS METHODE D'ESSAI TESTVERFAHREN СТАНДАРТ ИСПЫ ТАНИИ	REQUISITI PREVISTI DALLA NORMA REQUIREMENTS IN ACCORDANCE TO THE STANDARDS CARACTÉRISTIQUES REQUIS VORGEBEHENE EIGENSCHAFTEN GEMÄS NORMEN ТРЕБОВАНИЯ ПРЕДУСМОТРЕННЫЕ СТА НДАРТОМ	ster dust			CARATTERISTICA SPECIFICATION CARACTÉRISTIQUE EIGENSCHAFT ХАРАКТЕРИСТИКА	METODO DI PROVA TEST METHODS METHODE D'ESSAI TESTVERFAHREN СТАНДАРТ ИСПЫ ТАНИИ	REQUISITI PREVISTI DALLA NORMA REQUIREMENTS IN ACCORDANCE TO THE STANDARDS CARACTÉRISTIQUES REQUIS VORGEBEHENE EIGENSCHAFTEN GEMÄS NORMEN ТРЕБОВАНИЯ ПРЕДУСМОТРЕННЫЕ СТА НДАРТОМ	ster dust		
 LUNGHEZZA E LARGHEZZA LENGTH AND WIDTH - LONGUEUR ET LARGEUR - LÄNGE UND BREITE ДЛИНА И ШИРИНА	ISO 10545-2	$S \geq 410$	MIN.	RETT.	LAPP. RETT.	ISO 10545-9	METODO DISPONIBILE AVAILABLE ON REQUEST METHODE DISPONIBLE VERFÜGBARES VERFAHREN ОПРЕДЕЛЯЕТСЯ ПРОИЗВОДИТЕЛЕМ	RESISTENTI RESISTANT RESISTANTS WIDERSTANDSFÄHIG УСТОЙЧИВЫ			
SPESORE THICKNESS - ÉPAISSEUR - STÄRKE - ТОЛЩИНА		$\pm 0,5 \%$	$\pm 0,3\%$	$\pm 0,1\%$	$\pm 0,1\%$		RESISTENZA AL GEL FROST RESISTANCE - RESISTANCE AU GEL - FROSTBESTÄNDIGKEIT МОРОУСТОЙЧИВОСТЬ	ISO 10545-12	RICHIESTA ALWAYS TESTED - EXIGÉE NOTWENDIG - ТРЕБОВАНИЯ	NON BELIVI - FROST PROOF NON BELIVS - FROSTSICHER НЕ САМОРАКЖИВАЮТСЯ	
RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF EDGES - RECTITUDE DES BORDS - RECHTECKIGKEIT DER ECKEN - ПРЯМОЛИНЕЙНОСТЬ ГРАНИ		$\pm 0,5 \%$	$\pm 0,3\%$	$\pm 0,1\%$	$\pm 0,1\%$		RESISTENZA AI PRODOTTI CHIMICI CHEMICAL RESISTANCE - RESISTANCE AUX PRODUITS CHIMIQUES CHEMISCHE BESTÄNDIGKEIT - ХИМИЧЕСКАЯ УСТОЙЧИВОСТЬ	min. UB	min. UB		
ORTOGONALITÀ ORTHOGONALITY - ORTHOGONALITÉ - RECHTWINKLIGKEIT - ПРЯМОУГОЛЬНОСТЬ		$\pm 0,6 \%$	$\pm 0,3\%$	$\pm 0,1\%$	$\pm 0,1\%$						
PLANARITÀ PLANARITY - PLANARITÉ - EBENHEIT - ЛИНЕЙНОСТЬ		$\pm 0,5 \%$	$\pm 0,3\%$	$\pm 0,3\%$	$\pm 0,1\%$						
ASSORBIMENTO D'ACQUA WATER ABSORPTION - ABSORPTION D'EAU WASSERAUFNAHME - ВОДОПОГЛОЩЕНИЕ	ISO 10545-3	$\leq 0,5 \%$	$\leq 0,02 \%$			ISO 10545-13	DA GLA, GLB A ULC FROM GLA, GLB TO ULC DE GLA, GLB A ULC VON GLA, GLB BIS ULC OT GLA, GLB DO ULC	DA GLA, GLB A ULC FROM GLA, GLB TO ULC DE GLA, GLB A ULC VON GLA, GLB BIS ULC OT GLA, GLB DO ULC			
RESISTENZA ALLA FLESSIONE BREAKING MODULUS - RESISTANCE A LA FLEXION BIEGEFESTIGKEIT - ПРОЧНОСТЬ НА ИЗГИБ	ISO 10545-4	$35 \text{ N/mm}^2 = 356 \text{ Kg/cm}^2$	$48 \text{ N/mm}^2 = 489 \text{ kg/cm}^2$								
SPORZO DI ROTTURA MODULUS OF RUPTURE - CHARGE DE RUPTURE BRUCHLAST - СТОЙКОСТЬ НА ИЗЛОМ	ISO 10545-6	SPESORE - THICKNESS - ÉPAISSEUR - STÄRKE - ТОЛЩИНА $\geq 7,5 \text{ mm}$ ; min. 1300 N				ISO 10545-14	METODO DISPONIBILE AVAILABLE ON REQUEST METHODE DISPONIBLE VERFÜGBARES VERFAHREN ОПРЕДЕЛЯЕТСЯ ПРОИЗВОДИТЕЛЕМ	min. 4			
RESISTENZA ALL'ABRAZIONE PROFONDA DEEP ABRASION RESISTANCE - RESISTANCE A L'ABRASION PROFONDE BESTÄNDIGKEIT GEGEN TIEFENVERSCHLEIß УСТОЙЧИВОСТЬ К ГЛУБОКОМУ СТИРАНИЮ		$\leq 175 \text{ m}^3$	$117 \text{ m}^3$								
COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFFICIENT COEFFICIENT DE DILATION THERMIQUE LINEAIRE WÄRMEAUSSDEHNUNGSKOEFFIZIENT КОЭФФИЦИЕНТ ТЕПЛОВОВОГО ЛИНЕЙНОГО РАШИРЕНИЯ	ISO 10545-8	METODO DISPONIBILE AVAILABLE ON REQUEST METHODE DISPONIBLE VERFÜGBARES VERFAHREN ОПРЕДЕЛЯЕТСЯ ПРОИЗВОДИТЕЛЕМ	$\leq 7 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$			DIN 51094	NON DEVONO PRESENTARE APPREZZABILI VARIAZIONI DI COLORE THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION PAS DE MODIFICATIONS SENSIBLES DE COULEUR WEISEN KEINE SICHTBAREN FARBABWEICHUNGEN AUF НЕ ДОЛЖНЫ ИМЕТЬ ЗАМЕТНЫХ ИЗМЕНЕНИЙ ЦВЕТА	CONFORME COMPLIANT CONFORME ERFÜLLT СООТВЕТСТВУЕТ			



La Fabbrica S.p.A  
Via Emilia Ponente, 925 - 48014 Castel Bolognese (RA) Italy  
Tel. +39 0546 - 659911 - Fax +39 0546 - 656223  
www.lafabbrica.it - info@lafabbrica.it



Distribuito da. Distributed by. Distribue par. Vertrieben durch.

DESIGN AND PRODUCTION  
OF ITALY



Ceramic Tiles of Italy