






isla ■
FASCINO ITALIANO

Champagne **45x45** - Basket Weave Champagne/Ocra **30x30** - Champagne **25x40**
Tessera Champagne **25x25** - Listello Wish Champagne **8x25** - Cornice Wish Champagne **3x25**










Muschio **45x45** - Basket Weave Perla/Muschio **30x30**- Muschio **25x40**
Inserito Wish Muschio **25x40** - Listello Wish Muschio **8x25** - Cornice Wish Muschio **3x25**










Perla **45x45** - Perla **25x40** - Inserto Wish Perla **25x40**
Listello Wish Perla **8x25** - Cornice Wish Perla **3x25** - Tessera Perla **25x25**





Basket Weave Perla/Muschio 30x30 - Muschio 45x45

Muschio **45x45** - Perla **25x40** - Insetto Luxury Perla **25x40**
Matita Luxury **4x25** - Fascia Luxury **7x25**









Ocra **25x40** - Champagne **25x40** - Listello Alhambra **5x25** - Torello Ocra **5x25**



25x40



VA445 Muschio



25x40



D.VA445 Inserto Wish




5x25



Torello VA445 Muschio



25x25



Tessera VA445 Muschio



8x25



Listello Wish Muschio



3x25



Cornice Wish Muschio



5x25



Listello Alhambra



PAVIMENTO - GRES PORCELLANATO

FLOOR TILE - PORCELAIN STONEWARE

SOL - GRES CERAME

FUSSBODEN - FEINSTEINZEUG

ЛЖБН ПДБ ОЙУ - РПМ


45x45




VA45 Muschio



30x30



Micro VA45 Muschio



30x30



Basket Weave VA43



Vanity

25x40



VA443 Perla



25x40




D.VA443 Inserto Wish



25x25



Tessera VA443 Perla



8x25



Listello Wish Perla



5x25



Listello Alhambra




3x25




Cornice Wish Perla



30x30



Micro VA43 Perla



PAVIMENTO - GRES PORCELLANATO

FLOOR TILE - PORCELAIN STONEWARE

SOL - GRES CERAME

FUSSBODEN - FEINSTEINZEUG

ЛЖСБН ПДСОЙУ - РПМ

45x45




VA43 Perla



30x30



Basket Weave VA43





25x40



VA447 Ocra



25x40



D.VA447 Inserto Wish



5x25



Torello VA447 Ocra



25x25



Tessera VA447 Perla



8x25



Listello Wish Ocra



3x25



Cornice Wish Ocra




5x25




Listello Alhambra



30x30



Micro VA47 Ocra



PAVIMENTO - GRES PORCELLANATO

FLOOR TILE - PORCELAIN STONEWARE

SOL - GRES CERAME

FUSSBODEN - FEINSTEINZEUG

ЛЖБН ПДБ ОЙУ - РПМ


45x45



VA47 Ocra



30x30



Basket Weave VA41





25x40



VA441 Champagne



25x40




D.VA441 Inserto Wish



25x25



Tessera VA441 Champagne



8x25



Listello Wish Champagne



5x25



Listello Alhambra




3x25




Cornice Wish Champagne



30x30



Micro VA41 Champagne



PAVIMENTO - GRES PORCELLANATO
 FLOOR TILE - PORCELAIN STONEWARE
 SOL - GRES CERAME
 FUSSBODEN - FEINSTEINZEUG
 ЛЖСНПДБОЙУ - РПМ


45x45



VA41 Champagne



30x30



Basket Weave VA41





90x90



Rosone Luxury

4 CP 160

7,5x45



Listello Luxury

8 084

7,5x7,5



Tozzetto Luxury

8 070

7x25



Fascia Luxury

6 068

4x25



Matita Luxury

8 046

25x40



D.VA445 Insetto Luxury Muschio

12 083

25x40



D.VA443 Insetto Luxury Perla

12 083

25x40



D.VA447 Insetto Luxury Ocra


12 083

25x40



D.VA441 Insetto Luxury Champagne


12 083



Battiscopa



8,6x45



Bullnose



6,2x25

- Disponibile su tutti i colori
- Available on all colours
- Disponible sur tout les couleurs
- Verfügbar in allen Farben
- Ейнжжугт г сбрпс з жойй ере гтжц чгжжуг

TABELLA CARATTERISTICHE TECNICHE RIVESTIMENTO

TECHNICAL FEATURES WALL TILES
 CARACTÉRISTIQUES TECHNIQUES REVETEMENTS
 TECHNISCHE DATEN WANDFLIESEN
 УЖҮЙЧЖ ЛБа ЦБСБЛУЖИТ УЙЛБ ПВМИГ ЛБ

	Spessore Thickness - Epaisseur Dicke - Угмь йоб	Norme Regulation - Norme Norm - Опснб
	8 mm	ISO10545 - 2

TABELLA IMBALLI

PACKAGING
 EMBALLAGES
 VERPACKUNGEN
 ПРАКОВКА

	Pezzi per collo Pcs for box Pcs boite Stueckzahl pro kar Цуфн оа нжгуп	Mq per collo Sqm for box M2/boite qM pro kart Лг.н оа нжгуп	Kg per collo Kgs for box Kg/boite Gewicht pro Kart Лдоа нжгуп	Colli per paletta Boxes for pallet Boite/pal Kartonanzahl pro Pal. нжг у оа роеепо	Mq per paletta Sqm for pallet M²/pal Mq pro Palette Лг.н оа роеепо	Kg per paletta Kgs for Pallet Kg/pal Kg pro Palette Лдоа роеепо
25x40	14	1,40	19,70	54	75,60	1064
25x25 TESSERA	9	0,57	8,00	45	25,65	360
30x30 MICRO	10	0,90	22,00	45	40,50	990
30x30 BASKET WEAVE	11	0,99	28,00	54	53,46	1512
45x45	8	1,62	35,00	44	71,28	1540



CARATTERISTICHE TECNICHE - GRES PORCELLANATO SMALTATO

TECHNICAL FEATURES - GLAZED GRES PORCELAIN

CARACTERISTIQUES TECHNIQUES - GRÈS CÉRAME EMAILLÉ

TECHNISCHE EINGESCHAFTEN - GLASIERTE FEINSTEINZEUG

УЖДОЙШЖ ЛБА ЦБСЛУЖИТ УЙЛБ - ДМБИФСПГ БООБ К Х БСХ ПСПГ К ЛЖБН ПДСОЙУ

Vanity

PROPRIETÀ FISICO CHIMICHE PHYSICAL-CHEMICAL PROPERTIES - CARACTERISTIQUES PHYSIQUES-CHIMIQUES PHYSISCHE-CHEMISCHE EIGENSCHAFTEN - ЦБСЛУЖИТ УЙЛБ	NORME REGULATION - NORME NORM - НОРМЫ	VALORE PRESCRITTO FIXED VALUE - VALEUR PRESCRITE VORGESCHRIEBENER WERT	isla
DIMENSIONI Sizes - Format - Format - Сбінжсь	ISO 10545-2	Lunghezza e larghezza-Length and width-Longueur et largeur-Länge und Breite-Емйоб й шйсйоб ($\pm 0,75\% 190 \text{ cm}^2 < S \leq 410$) ($\pm 0,6\% S > 410 \text{ cm}^2$)	($\pm 0,75\% 190 \text{ cm}^2 < S \leq 410$) ($\pm 0,6\% S > 410 \text{ cm}^2$)
		Rettilineità spigoli-Linearity-Rectitude des arêtes-Kantengeradheit-Рс нпмйожоптуэ тулсно ($\pm 0,5\% \text{ max}$)	($\pm 0,5\% \text{ max}$)
		Ortogonalità-Wedging-Orthogonalité-Rechtwinkligkeit-Рс нпфрлмэоптуэ ($\pm 0,6\% \text{ max}$)	($\pm 0,6\% \text{ max}$)
		Planarità-Warpage-Planéité-Ebenflächigkeit-Рмтллтуптуэ ($\pm 0,5\% \text{ max}$)	($\pm 0,5\% \text{ max}$)
SPESSORE Thickness - Épaisseur - Stärke - Упмь йоб	ISO 10545-2	($\pm 5\% \text{ max}$)	9,5
QUALITÀ DELLA SUPERFICIE - Appearance quality - Qualité de la surface - Qualitätsanforderungen für die Oberfläche - Лбшжуг н рлгжсрптуэ	ISO 10545-2	95% piastrelle accettabili nel lotto 95% acceptability of tiles in the lot 95% des carreaux acceptables dans le lot de production 95% der Fliesen erfüllen erste Sortierung 95% рмйули г рбсуйй вжфржшопдт лбшжуг б	95% piastrelle accettabili nel lotto 95% acceptability of tiles in the lot 95% des carreaux acceptables dans le lot de production 95% der Fliesen erfüllen erste Sortierung 95% рмйули г рбсуйй вжфржшопдт лбшжуг б
ASSORBIMENTO D'ACQUA Water absorption - Absorption d'eau Wasseraufnahme - Г пепрлмь жойж	ISO 10545-3	$E \leq 0,5\%$	conforme conform - conforme gleichmässig - тппуг жуугу фжу
RESISTENZA ALLA FLESSIONE Flexual Strenght-Résistance à la flexion Biegefestigkeit - Рспшоптуэ об йидйв	ISO 10545-4	$\geq 35 \text{ N/mm}^2$	$\geq 35 \text{ N/mm}^2$
CARICO DI ROTTURA Moduls of rupture - Coefficient de rupture Bruchfestigkeit - Нпедфэ сбись гб	ISO 10545-4	$\geq 1300 \text{ N}$	$\geq 1300 \text{ N}$
RESISTENZA AGLI SBALZI TERMICI - Thermal shock resistyance - Résistance aux chocs termiques - Temperaturwechsel beständig keit Тулклт уэ л ржсррбейн ужнржсбуфь	ISO 10545-9	Come indicato dal produttore As indicated by manufactured - Comme indiqué par le producteur Wie vom Hersteller angegeben - Лблпгь фмбйой йидтупг йужм	
RESISTENZA AL GELO Frost resistance - Résistance au gel Frostbeständigkeit - Нпспипт улклт уэ	ISO 10545-12	Come indicato dal produttore As indicated by manufactured - Comme indiqué par le producteur Wie vom Hersteller angegeben - Лблпгь фмбйой йидтупг йужм	
RESISTENZA ALL'ATTACCO CHIMICO - Chemical resistance Resistance à l'attaque chimique - Beständigkeit gegen chemikalien Тулклт уэ л цйнйшжлпн фежжтугйя сжджоулг	ISO 10545-13	Secondo la classe di resistenza chimica indicata dal produttore Incompliance with the chemical resistance class stated by the producer Selon la classe de résistance chimique indiquée par le producteur Lt. vom Lieferant angegebene chemische Widerstandsfähigkeitsklasse Г тппуг жуугу й т лмбт тпн цйнйшжлпк тулклт уэ, фмбйой н йидтупг йужмн	
RESISTENZA AI PRODOTTI CHIMICI DI USO DOMESTICO E AGLI ADDITIVI PER PISCINA Resistance to domestic chemical products and additives for swimming pools Résistance aux produits d'emploi domestiques et additifs pour piscines Widerstandsfähigkeit gegenüber Haushaltschemikalien und Zusatzstoffe für Schwimmbäder Фулкцйгпт уэ л вь улг н цйнйшжлпн гжэ жгун й епвблн, йт рмвфржн г вбтжбц	ISO 10545-13	GB min.	GB min.
RESISTENZA ALLE MACCHIE Resistance to staining - Résistance aux taches Fleckbeständigkeit - Фулкцйг л пвспиг бояя р ужо	ISO 10545-14	CLASSE min. 3	CLASSE min. 3